

K7M2 | 305188

Description	K7M2 wt	,	.
		K7M2	Wnt/ β -PI3K/AKT

Organism

Tissue

Disease

Metastatic site

Synonyms K7M2-WT, K7M2

Breed/Subspecies BALB/c

Age 895

Gender

Cell type

Growth properties

Citation K7M2 (305188)

Biosafety level 1

NCBI_TaxID 10090

CellosaurusAccession CVCL_V455

K7M2 | 305188

Receptors expressed (C3), , Fc , IgG, I(Fcgr1),

Tumorigenic

Culture Medium DMEM, w: 4.5g/L , w: 4mM L- , w: 3.7g/L NaHCO3, w: 1.0mM (820300a)

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS . T25 3~5ml, T75 5~10ml PBS . T25

Fluid renewal 2~3

Freeze medium (FBS) + 10% DMSO , CM-1(Cytion 800100)

Thawing and Culturing Cells

1. .
2. -150°C , 3 .
3. 37°C 40~60 .
4. , 70% .
5. 8ml 15ml .
6. 300 x g 3 .
7. 10ml . T25 , T25
8. .

K7M2 | 305188

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

Freezing Procedure -78°C

Shipping Conditions -78°C

Storage Conditions -150°C -196°C -80°C

/ / HLA

Sterility PCR