

SW620-GFP Cells | 305708**General information**

Organism	Human
Tissue	Metastatic
Disease	Colon adenocarcinoma
Metastatic site	Lymph node
Synonyms	SW620, SW 620, SW.620

Characteristics

Age	51 years
Gender	Male
Ethnicity	Caucasian
Morphology	Epithelial-like
Growth properties	Suspension

Regulatory Data

Citation	SW620-GFP (Cytion catalog number 305708)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_A9MJ
GMO Status	GMO-S1: This SW-620 metastatic colorectal line contains a GFP construct for visualization of metastatic behavior. This classification applies only within Germany and may differ elsewhere.

Biomolecular Data

SW620-GFP Cells | 305708

Protein expression GFP

Tumorigenic Yes, in athymic nude mice

Mutational profile Mutation: p.Gln1338Ter, Homozygous; Mutation: p.Gly12Val, Homozygous; Mutation: p.Arg273His, Heterozygous; Mutation: p.Pro309Ser, Heterozygous

Handling

Culture Medium DMEM

Freeze medium As a cryopreservation medium, we use complete growth medium + 10% DMSO for adequate post-thaw viability.

Thawing and Culturing Cells

1. Confirm that the vial remains deeply frozen upon delivery, as cells are shipped on dry ice to maintain optimal temperatures during transit.
2. Upon receipt, either store the cryovial immediately at temperatures below -150°C to ensure the preservation of cellular integrity, or proceed to step 3 if immediate culturing is required.
3. For immediate culturing, swiftly thaw the vial by immersing it in a 37°C water bath with clean water and an antimicrobial agent, agitating gently for 40-60 seconds until a small ice clump remains.
4. Perform all subsequent steps under sterile conditions in a flow hood, disinfecting the cryovial with 70% ethanol before opening.
5. Carefully open the disinfected vial and transfer the cell suspension into a 15 ml centrifuge tube containing 8 ml of room-temperature culture medium, mixing gently.
6. Centrifuge the mixture at 200 x g for 5 minutes, carefully discard the supernatant containing freezing medium.
7. Follow the procedure described under Post-Thaw Recovery

Incubation Atmosphere 37°C, 5% CO₂, humidified atmosphere.

SW620-GFP Cells | 305708

Shipping Conditions

Cryopreserved cell lines are shipped on dry ice in validated, insulated packaging with sufficient refrigerant to maintain approximately -78°C throughout transit. On receipt, inspect the container immediately and transfer vials without delay to appropriate storage.

Storage Conditions

For long-term preservation, place vials in vapor-phase liquid nitrogen at about -150 to -196°C . Storage at -80°C is acceptable only as a short interim step before transfer to liquid nitrogen.

Quality Control & Molecular Analysis