

AC16

| 305215

Description

AC16 SV40 (connexin-40) (stem cell differentiation) (animal senescence pathways) (thymidine kinase induction) AC16 AC16

Organism

Tissue

Applications

Synonyms

Ethnicity

Morphology

Cell type

Growth properties

Citation

AC16 (Cytion 305215)

Biosafety level

1

NCBI_TaxID

9606

CellosaurusAccession

CVCL_4U18

AC16

| 305215

GMO Status GMO-S1: AC16 SV40 T-Antigen

Viruses SV40 large T-antigen

Culture Medium DMEM: Ham's F12 (1:1), 3.1 mg/ml, 2.5 mg/ml L-Glutamine 0.9 mg/ml L-Glutamine 2.5 mg/ml DMEM:Ham's F12 (1:1), w: 3.1 mg/ml, w: 2.5 mg/ml L-Glutamine, w: 15 mg/ml HEPES, w: 0.5 mg/ml (Gibco, 41400045) 2% (Gibco, 16050130)

Dissociation Reagent

Subculturing PBS T25

Freeze medium (FBS) + 10% DMSO

- Thawing and Culturing Cells**
- 1.
 2. cryovial -150
 3. 37°C
 4. 70%
 5. 15
 6. 300 x g 3
 7. 10
 - 8.

Product sheet

AC16

| 305215

Incubation Atmosphere

37°C, 5% CO₂,

Flask Coating

Freezing Procedure

Shipping Conditions

Storage Conditions

-150 -196 °C

/ / HLA

Sterility

PCR