Product sheet

[redacted] MDA-MB-435S | 300277

[redacted]

Description	[redacted] [redacted] MDA-MB-435S [redacted] [redacted] [redacted] [redacted] MDA-MB-435S [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted], [redacted] ([redacted]/[redacted] M14)
Applications	[redacted]; [redacted]
Synonyms	MDA-MB-435s, MDA-MB-435 S, MDA-MB-435-S, MDAMB435S, BrCL15

[redacted]

Age	33 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	MDA-MB-435S ([redacted] Cytion 300277)
Biosafety level	1

MDA-MB-435S | 300277

NCBI_TaxID	9606
CellosaurusAccession	CVCL_0622
GMO Status	; — MDA-MB-435

Culture Medium	DMEM:Ham's F12 (1:1), w: 3.1 /, w: 2.5 L-, w: 15 HEPES, w: 0.5
Supplements	FBS 5%
Dissociation Reagent	
Subculturing	PBS T25
Split ratio	1 5
Seeding density	1 3×10^4 /
Fluid renewal	2 3
Freeze medium	(FBS) + 10% DMSO

MDA-MB-435S | 300277

Thawing and Culturing Cells	1. 2. cryovial -150 3. 37°C 4. 70% 5. 15 6. 300 x g 3 7. 10 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	
Shipping Conditions	
Storage Conditions	−150 −196 °C

Sterility	PCR