

SW48 | 305235

**Description** [REDACTED] SW48 [REDACTED]  
[REDACTED] SW48 [REDACTED] (CEA) [REDACTED]

**Organism** [REDACTED]

**Tissue** [REDACTED]

**Disease** [REDACTED]

**Synonyms** SW-48, SW 48

**Age** 83 [REDACTED]

**Gender** [REDACTED]

**Ethnicity** [REDACTED]

**Morphology** [REDACTED]

**Growth properties** [REDACTED]

**Citation** SW48 ([REDACTED] Cytion 305235)

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_1724

SW48 | 305235

**Tumorigenic**

**Culture Medium** Leibovitz's L-15, w: 2.0 mM L-Glutamine, 0.55 g/L NaHCO<sub>3</sub> (

**Supplements**  FBS 10%

**Dissociation Reagent**

**Subculturing**  PBS  T25

**Freeze medium**  ( FBS) + 10% DMSO

**Thawing and Culturing Cells**

1.
2.  cryovial  -150
3.  37°C
4.  70%
5.  15
6.  300 x g  3
7.  10
8.

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>,

**Flask Coating**

Product sheet

SW48 | 305235

**Freezing Procedure** [redacted]

**Shipping Conditions** [redacted]

**Storage Conditions** [redacted] -150 [redacted] -196 °C [redacted]

/ / HLA

**Sterility** [redacted] PCR [redacted]  
[redacted] [redacted] [redacted]