

## HEK293FT | 305275

**Description** HEK293FT HEK293 HEK293FT

**Organism**

**Tissue**

**Synonyms** HEK293-FT, HEK-293FT, HEK 293FT, HEK-293-FT, HEK293FT, 293-FT, FT-293

**Age**

**Gender**

**Morphology**

**Growth properties**

**Citation** HEK293FT (Cytion 305275)

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_6911

**GMO Status** GMO-S1: (293-FT) HEK293 SV40

**Antigen expression** 40 T, 1A (E1A)

# HEK293FT | 305275

**Viruses**  $\times 5$ ,  $\times 40$  (SV40)

**Culture Medium** DMEM, w: 4.5  $\times 5$ , w: 4  $\times 4$ , w: 3.7  $\times 5$ , w: 1.0  $\times 5$

**Supplements** FBS 10%

**Dissociation Reagent**  $\times 5$

**Subculturing** PBS  $\times 5$  T25  $\times 5$

**Seeding density**  $2 \times 5^4$

**Fluid renewal**  $2 \times 5$

**Freeze medium**  $\times 5$  (FBS) + 10% DMSO

## Thawing and Culturing Cells

1.  $\times 5$
2.  $\times 5$  cryovial  $\times 5$  -150  $\times 5$
3.  $\times 5$  37°C  $\times 5$
4.  $\times 5$  70%
5.  $\times 5$  15  $\times 5$
6.  $\times 5$  300 x g  $\times 3$   $\times 5$
7.  $\times 5$  10  $\times 5$
8.  $\times 5$

Product sheet

HEK293FT | 305275

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>, [REDACTED]

**Flask Coating** [REDACTED]

**Freezing Procedure** [REDACTED]

**Shipping Conditions** [REDACTED]

**Storage Conditions** [REDACTED] -150 [REDACTED] -196 °C [REDACTED]

/ / HLA

**Sterility** [REDACTED] PCR [REDACTED]  
[REDACTED]