Product sheet

[redacted] MET-5A | 305269

[redacted]

Description	[redacted] MET-5A [redacted] [redacted] MET-5A [redacted]
Organism	[redacted]
Tissue	[redacted]
Synonyms	MeT-5A, MeT 5A, MeT5A, Met5A, MET5A, [redacted] pRSV-T 5A

[redacted]

Age	[redacted]
Gender	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	MET-5A ([redacted] Cytion 305269)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_3749
GMO Status	GMO-S1: [redacted] (MET-5A) [redacted] SV40 T-Antigen [redacted]

[redacted]

[redacted] MET-5A | 305269

Protein expression	[redacted], [redacted], [redacted]40 [redacted] [redacted]
Tumorigenic	[redacted]
Viruses	[redacted]: [redacted]40 (SV40)

[redacted]

Culture Medium	[redacted] 199, w: 1.5 [redacted]/[redacted] NaHCO3
Supplements	[redacted] FBS 15%, HEPES 15 mM, ITS+ 1% [redacted]: H2SeO3 0.3869 [redacted]/[redacted] ([redacted]) MnCl2×4H20 0.0198 [redacted]/[redacted] ([redacted]) Na2SiO3×9H20 14.2100 [redacted]/[redacted] ([redacted]) (NH4)6Mo7O24×4H20 0.1236 [redacted]/[redacted] ([redacted]) NH4VO3 0.0585 [redacted]/[redacted] ([redacted]) NiSO4×6H20 0.0131 [redacted]/[redacted] ([redacted]) SnCl2×2H20 0.0113 [redacted]/[redacted] ([redacted])
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] [redacted] T25 [redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Freeze medium	[redacted] [redacted] ([redacted] FBS) + 10% DMSO

[redacted] MET-5A | 305269

Thawing and Culturing Cells	1. [redacted] 2. [redacted] cryovial [redacted] -150 [redacted] 3. [redacted] 37°C [redacted] 4. [redacted] 70% 5. [redacted] 15 [redacted] 6. [redacted] 300 x g [redacted] 3 [redacted] 7. [redacted] 10 [redacted] 8. [redacted]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted] −150 [redacted] −196 °C [redacted]

[redacted] / [redacted] / HLA

Sterility	[redacted] PCR [redacted] [redacted]