

Product sheet

**CHO-TACD2 | 305415**

**CHO-TACD2**

**Description**

CHO-TACD2 CHO (Chinese Hamster Ovary) TACD2 CXCR7

**Organism**

**Tissue**

**Age**

**Age**

**Gender**

**Morphology**

**Growth properties**

**Citation**

**Citation** CHO-TACD2 (Catalogue 305415 Cytion)

**Biosafety level** 1

**NCBI\_TaxID** 10029

**GMO Status** GMO-S1: CHO TACD2

**Receptors expressed**

**Receptors expressed** TACD2 (TROP2 GA733-1)

# CHO-TACD2 | 305415

## CHO-TACD2

**Culture Medium** DMEM:Ham's F12 (1:1), w: 3.1 g/l / w: 2.5 g/l L-Glutamine, w: 15 mg/l  
 CHO A (InSCREENeX; InSCREENeX I)

**Supplements** FBS 5% Geneticin (G418-Sulfat) 0.5 mg/ml

**Dissociation Reagent** EDTA

**Subculturing** PBS

**Fluid renewal** 2-3

**Post-Thaw Recovery** 1:2 1:3 T25

**Freeze medium** (FBS) + 10% DMSO

- Thawing and Culturing Cells**
1. Thaw cryovial in 37°C water bath
  2. Add to 3 ml medium in T25 flask
  3. Incubate at 37°C
  4. Change medium after 70%
  5. Harvest cells after 15 days
  6. Wash cells 3 times with PBS
  7. Seed cells into T25 flask
  8. Harvest cells after 10 days

