Product sheet

CHO-TACD2 | 305415

Description	/ CHO-TACD2 CHO (Chinese Hamster Ovary) TACD2 (TROP2)
Organism	
Tissue	
Disease	, ; TACD2/TROP2 (GA733-1)
Applications	; ADC; TROP2; /

Age	
Gender	
Morphology	
Cell type	
Growth properties	/

Citation	CHO-TACD2 (Catalogue 305415 Cytion)
Biosafety level	1
NCBI_TaxID	10029
CellosaurusAccession	CVCL_A8X3

CHO-TACD2 | 305415

GMO Status	GMO-S1: CHO TACD2

Receptors expressed

Receptors expressed	TACD2 (TROP2 GA733-1)

Culture Medium

Culture Medium	: DMEM:Ham's F12 (1:1), w: 3.1 , w: 2.5 L-, w: 15 : CHO A (InSCREENeX; InSCREENeX I
Supplements	: FBS 5% Geneticin (G418-Sulfat) 0.5
Dissociation Reagent	: -EDTA
Doubling time	14-16
Subculturing	: PBS
Split ratio	1 5
Seeding density	2 5 x 10^4 /
Fluid renewal	2 3
Post-Thaw Recovery	1:2 1:3 T25
Freeze medium	(FBS) + 10% DMSO

CHO-TACD2 | 305415

Thawing and Culturing Cells	1. 2. cryovial -150 3. 37°C 4. 70% 5. 15 6. 300 x g 3 7. 10 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	
Shipping Conditions	
Storage Conditions	−150 −196 °C

Sterility	PCR