



Product sheet

**CHO-CCR8 | 305418**

**GMO Status** GMO-S1: CHO CCR8 GPCR

**Receptors expressed** CCR8 (CHEMR1 CDw198)

**Culture Medium** DMEM:Ham's F12 (1:1), w: 3.1 / w: 2.5 L- w: 15  
CHO A (InSCREENeX; InSCREENeX I

**Supplements** FBS 5% Geneticin (G418-Sulfat) 0.5 /

**Dissociation Reagent** -EDTA

**Doubling time** 14-16

**Subculturing** PB S

**Split ratio** 1 : 5

**Seeding density** 2 x 10<sup>4</sup> /

**Fluid renewal** 2 x 3

**Post-Thaw Recovery** 1:2 1:3 T25

**Freeze medium** (FBS) + 10% DMSO

**CHO-CCR8 | 305418**

**Thawing and Culturing Cells**

1. **Thawing** **Procedure**
2. **Thawing** **Procedure** cryovial **Thawing** **Procedure** -150 **Thawing** **Procedure**
3. **Thawing** **Procedure** **Thawing** **Procedure** 37°C **Thawing** **Procedure**
4. **Thawing** **Procedure** **Thawing** **Procedure** 70%
5. **Thawing** **Procedure** **Thawing** **Procedure** 15 **Thawing** **Procedure**
6. **Thawing** **Procedure** 300 x g **Thawing** **Procedure** 3 **Thawing** **Procedure**
7. **Thawing** **Procedure** **Thawing** **Procedure** 10 **Thawing** **Procedure**
8. **Thawing** **Procedure**

**Incubation Atmosphere**

37°C, 5% CO<sub>2</sub>, **Incubation Atmosphere**

**Flask Coating**

**Flask Coating**

**Freezing Procedure**

**Freezing Procedure**

**Shipping Conditions**

**Shipping Conditions**

**Storage Conditions**

**Storage Conditions** -150 **Storage Conditions** -196 °C **Storage Conditions**

**CHO-CCR8** / **CHO-CCR8** / HLA

**Sterility**

**Sterility** PCR **Sterility**  
**Sterility** **Sterility** **Sterility**