

Product sheet

CHO-CCR8 | 305418

CHO-CCR8

Description
CHO-CCR8 CHO (Chinese Hamster Ovary) CHEMR1 CDw198 G (GPCR) CCR8

Organism
Tissue

CHO-CCR8

Age
Gender
Morphology
Growth properties

CHO-CCR8

Citation CHO-CCR8 (Cytion 305418)
Biosafety level 1
NCBI_TaxID 10029
GMO Status GMO-S1: CHO CCR8 GPCR

CHO-CCR8

Receptors expressed CCR8 (CHEMR1 CDw198)

CHO-CCR8 | 305418

CHO-CCR8

Culture Medium DMEM:Ham's F12 (1:1), w: 3.1 g/l / g/l, w: 2.5 g/l L-Glutamine, w: 15 g/l
 CHO A (InSCREENeX; InSCREENeX I)

Supplements FBS 5% Geneticin (G418-Sulfat) 0.5 mg/ml

Dissociation Reagent EDTA

Subculturing PBS

Fluid renewal 2-3

Post-Thaw Recovery 1:2 1:3 T25

Freeze medium (FBS) + 10% DMSO

Thawing and Culturing Cells

1. Thaw cryovial in 37°C water bath
2. Add to 10 ml of pre-warmed medium
3. Centrifuge at 300 x g for 3 min
4. Resuspend in 1 ml of medium
5. Seed into T25 flask
6. Incubate at 37°C
7. Monitor cell growth
8. Harvest cells

