Product sheet

[redacted] HEK293-FOLR1 | 305425

[redacted]

Description	[redacted]/ [redacted] [redacted] [redacted] HEK293-FOLR1 [redacted] HEK293 [redacted] FBP [redacted] GPI-anchored [redacted] [redacted] FOLR1 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]/ [redacted]; [redacted] ([redacted] HEK293)
Applications	[redacted] FOLR1 [redacted] ADC ([redacted] farletuzumab); [redacted], [redacted], [redacted]

[redacted]

Age	[redacted]
Gender	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted], [redacted]

[redacted]

Citation	HEK293-FOLR1 ([redacted] Cytion 305425)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_6G24

HEK293-FOLR1 | 305425

GMO Status	GMO-S1: HEK293 FOLR1

Receptors expressed

Receptors expressed	FOLR1 ((FRα) FBP)

Culture Medium

Culture Medium	RPMI 1640, w: 2.0 mM , w: 2.0 / NaHCO3 (Cytion 820700a)
Supplements	FBS 10%, 1 , HEPES 10 , NEAA 1%
Dissociation Reagent	-
Doubling time	24-36
Subculturing	: PBS
Split ratio	1 5
Seeding density	2 4 x 1 /
Fluid renewal	2 3
Post-Thaw Recovery	1:2 1:3 T25
Freeze medium	(FBS) + 10% DMSO

HEK293-FOLR1 | 305425

Thawing and Culturing Cells	1. 2. cryovial -150 3. 37°C 4. 70% 5. 15 6. 300 x g 3 7. 10 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	
Shipping Conditions	
Storage Conditions	−150 −196 °C

Sterility	PCR