Product sheet

HEK293-CCR8 | 305426

Description	/ HEK293-CCR8 HEK293 CCR8
Organism	
Tissue	
Disease	/; (HEK293)
Applications	; GPCR; CCR8; CAR-T;

Age	
Gender	
Morphology	
Cell type	
Growth properties	,

Citation	HEK293-CCR8 (Cytion 305426)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_6G18

HEK293-CCR8 | 305426

GMO Status	GMO-S1: HEK293 CCR8

Receptors expressed

Receptors expressed	CCR8 (CHEMR1 CDw198)

Culture Medium

Culture Medium	RPMI 1640, w: 2.0 mM , w: 2.0 / NaHCO3 (Cytion 820700a)
Supplements	FBS 10%, 1 , HEPES 10 , NEAA 1%
Dissociation Reagent	-
Doubling time	24-36
Subculturing	: PBS
Split ratio	1 5
Seeding density	2 4 x 10 /
Fluid renewal	2 3
Post-Thaw Recovery	1:2 1:3 T25
Freeze medium	(FBS) + 10% DMSO

HEK293-CCR8 | 305426

Thawing and Culturing Cells	1. 2. cryovial -150 3. 37°C 4. 70% 5. 15 6. 300 x g 3 7. 10 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	
Shipping Conditions	
Storage Conditions	−150 −196 °C

Sterility	PCR