

XXXXXXXXXXXXXXXXXXXX

AMO-1 Notch3-p53 s
 (ICAM-1) ICAM-1 T

XXXXXX

XXXXXXXXXXXX

XX

AMo1, AMO1

64 田田

XXXXXXXXXX

XXXXXXXXXX

XXXXXXXXXX

XXXXXXXXXX

AMO-1 (XXXXXXXXXXXXXXXXXXXX Cytion 305525)

1

9606

CVCL_1806

Product sheet

AMO-1 | 305525

Mutational profile

IGKV1-8-IGKJ1; IGKV3-20-IGKJ2; BCOR, p.Gln312del (c.932_934AGC[1]) (c.935_937del); p.Ala146Thr (c.436G>A), STAT3, p.Cys712Tyr (c.2135G>A), TE

Culture Medium

RPMI 1640, w: 2.0 mM , w: 2.0 / NaHCO3 (Cytion 820700a)

Supplements

FBS 20%

Subculturing

15 PBS

Seeding density

3–5 × 10⁵/

Fluid renewal

2 3

Freeze medium

(FBS) + 10% DMSO

Thawing and Culturing Cells

- 1.
2. cryovial -150
3. 37°C
4. 70%
5. 15
6. 300 x g 3
7. 10
- 8.

Incubation Atmosphere

37°C, 5% CO₂,

XXXXX AMO-1 | 305525

Shipping Conditions

Storage Conditions

Sterility