

Product sheet

C17.2 | 305354

Description C17.2 C17.2 C17.2 in vitro in vivo

Organism

Tissue

Synonyms C17

Breed/Subspecies C57BL/6 x CD-1

Age

Gender

Cell type

Growth properties

Citation C17.2 (Cytion 305354)

Biosafety level 1

NCBI_TaxID 10090

CellSaurusAccession CVCL_4511

Oncogenes v-Myc

Product sheet

C17.2 | 305354

Culture Medium DMEM, w: 4.5 g/l / 45 ml, w: 4 g/l - 45 ml, w: 3.7 g/l / 37 ml NaHCO₃, w: 1.0 g/l - 10 ml

Supplements FBS 10%

Dissociation Reagent Trypsin

Subculturing PBS, T25

Seeding density 2 x 10⁴ cells/ml

Freeze medium (FBS) + 10% DMSO

- Thawing and Culturing Cells**
1. Thaw cryovial in 37°C water bath
 2. Transfer cells to cryovial -150 °C
 3. Incubate at 37°C
 4. Add 70% FBS
 5. Incubate 15 min
 6. Add 300 x g 3 min
 7. Incubate 10 min
 8. Incubate

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

