Product sheet

[redacted] H4-II-E-C3 | 305336

[redacted]

Description	[redacted] H4-II-E-C3 [redacted] [redacted] [redacted] [redacted] [redacted] H4-II-E-C3 [redacted] [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	H4IIEC3, H4-IIE-C3, H4-II-EC3, H-II-E-C3

[redacted]

Breed/Subspecies	[redacted]
Age	[redacted]
Gender	[redacted]
Growth properties	[redacted]

[redacted]

Citation	H4-II-E-C3 ([redacted] Cytion 305336)
Biosafety level	1
NCBI_TaxID	10116
CellosaurusAccession	CVCL_0285
GMO Status	GMO-S1: [redacted] (H4-II-E-C3) [redacted]

[redacted]

[redacted] H4-II-E-C3 | 305336

Protein expression	[redacted]: [redacted], [redacted], [redacted], [redacted]
Tumorigenic	[redacted] AxC

[redacted]

Culture Medium	DMEM, w: 4.5 [redacted], w: 4 [redacted], w: 3.7 [redacted] NaHCO3, w: 1.0 [redacted]
Supplements	[redacted] FBS 10%
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] T25 [redacted]
Seeding density	1–3 × 10^4/cm^2
Fluid renewal	2 [redacted] 3 [redacted]
Freeze medium	[redacted] ([redacted] FBS) + 10% DMSO

[redacted] H4-II-E-C3 | 305336

Thawing and Culturing Cells

1. [redacted]
2. [redacted] cryovial [redacted] -150 [redacted]
3. [redacted] 37°C [redacted]
4. [redacted] 70%
5. [redacted] 15 [redacted]
6. [redacted] 300 x g [redacted] 3 [redacted]
7. [redacted] 10 [redacted]
8. [redacted]

Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted] −150 [redacted] −196 °C [redacted]

[redacted]

Sterility	[redacted] PCR [redacted]