Product sheet

HCC38 | 305307

Description	HCC38 (TNBC) HCC38CisR HCC38 HCC38
Organism	
Tissue	
Disease	
Synonyms	Hcc38, HCC-38, HCC 38 HCC0038, Hamon Cancer Center 38

Age	50
Gender	
Ethnicity	
Morphology	
Cell type	
Growth properties	

Citation	HCC38 (Cytion 305307)
Biosafety level	1
NCBI_TaxID	9606

HCC38 | 305307

CellosaurusAccession	CVCL_1267

Protein expression	2 (EGP2), 19
Oncogenes	Her2/neu-, p53+
Mutational profile	TP53, p.Arg273Leu (c.818G>T),

Culture Medium	RPMI 1640, w: 2.0 mM , w: 2.0 / NaHCO3 (Cytion 820700a)
Supplements	FBS 10%
Dissociation Reagent	
Subculturing	PBS T25
Fluid renewal	2 3
Freeze medium	(FBS) + 10% DMSO

HCC38 | 305307

Thawing and Culturing Cells	1. [illegible] 2. [illegible] [illegible] cryovial [illegible] -150 [illegible] [illegible] 3. [illegible] [illegible] 37°C [illegible] 4. [illegible] [illegible] 70% 5. [illegible] [illegible] 15 [illegible] 6. [illegible] 300 x g [illegible] 3 [illegible] [illegible] [illegible] 7. [illegible] [illegible] 10 [illegible] [illegible] [illegible] 8. [illegible]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible]
Flask Coating	[illegible]
Freezing Procedure	[illegible]
Shipping Conditions	[illegible]
Storage Conditions	[illegible] [illegible] −150 [illegible] −196 °C [illegible]
Sterility	[illegible] PCR [illegible] [illegible] [illegible] [illegible] [illegible]