Product sheet

HPAC | 305309

Description	HPAC adenocarcinoma HPAC (MMPs) MT1-MMP
Organism	
Tissue	
Disease	
Synonyms	

Age	64
Gender	
Ethnicity	
Morphology	
Cell type	
Growth properties	

Citation	HPAC (Cytion 305309)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_3517

HPAC | 305309

Protein expression	[illegible]: [illegible], [illegible], [illegible] [illegible] [illegible] [illegible] (EGF), [illegible]; [illegible], [illegible]; [illegible] (EGF)
Tumorigenic	[illegible] [illegible]
Mutational profile	[illegible]: CDKN2A, p.Glu120Ter (c.358G>T), [illegible]; [illegible]: KRAS, p.Gly12Asp (c.35G>A); [illegible]
Culture Medium	[illegible]:Ham's F12, [illegible] 1.2 [illegible]/[illegible], [illegible]-[illegible] 2.5 [illegible], HEPES 15 [illegible], [illegible]
Supplements	[illegible] FBS 5%
Dissociation Reagent	[illegible]
Subculturing	[illegible] PBS [illegible] [illegible] T25 [illegible]
Fluid renewal	2 [illegible] 3 [illegible]
Freeze medium	[illegible] [illegible] ([illegible] FBS) + 10% DMSO

HPAC | 305309

Thawing and Culturing Cells	1. [illegible] 2. [illegible] [illegible]cryovial [illegible]-150 [illegible] [illegible] 3. [illegible] [illegible]37°C [illegible] 4. [illegible] [illegible]70% 5. [illegible] [illegible]15 [illegible] 6. [illegible]300 x g [illegible]3 [illegible] [illegible] [illegible] 7. [illegible] [illegible]10 [illegible] [illegible] [illegible] 8. [illegible]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible]
Flask Coating	[illegible]
Freezing Procedure	[illegible]
Shipping Conditions	[illegible]
Storage Conditions	[illegible] [illegible]−150 [illegible]−196 °C [illegible]
Sterility	[illegible]PCR [illegible] [illegible] [illegible] [illegible] [illegible]