

NCI-H2122 | 305600

XXXXXXXXXXXXXXXXXXXX

Mutational profile XXXXXXXXXXXXXXXX KRAS, p.Gly12Cys (c.34G>T), XXXXXXXXXXXXXXXX, XXXXXXXXXXXXXXXX TP53, p.Gln16Leu (c.47A>T), XXXXXXXXXXXXXXXX

XXXXXXXXXXXX

Culture Medium RPMI 1640, w: 2.0 mM XXXXXXXXXXXXXXXX, w: 2.0 XXXXX/XXXXX NaHCO3 (XXXXXXXXXXXXXXXXXXXX Cytion 820700a)

Supplements XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX FBS 10%

Dissociation Reagent XXXXXXXXXXXXX

Subculturing XX PBS XX T25 XXXXXXXXXXXXXXXX

Split ratio XXXXXXXXXXXXXXXXXXXXXXXX 1:3 XXXX 1:4 XX

Fluid renewal 2 XXXX 3 XXXXXXXXXXXXXXXXXXXXXXXX

Freeze medium XX (XXXXXXX FBS) + 10% DMSO

Thawing and Culturing Cells

1. XX
2. XXXXXXXXXXXXXXXXXXXXXXXX cryovial XX -150 XXXXXXXXXXXXXXXXXXXXXXXX XX
3. XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XX 37°C XXXXXXXXXXXXXXXXXXXXXXXX
4. XX XX 70%
5. XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XX 15 XXXXXXXXXXXXXXXXXXXXXXXX
6. XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX 300 x g XXXXXXXXXXXXXXXX 3 XXXXX XX
7. XXXXXX XX 10 XXXXXXXXXXXXXXXX XX
8. XX

