Product sheet

HSF (SV40) | 305338

Description	[redacted] HSF(SV40) [redacted] T-antigen [redacted] SV40 T-Ag [redacted] HSF
Organism	[redacted]
Metastatic site	[redacted] ([redacted]; [redacted] SV40-[redacted])
Applications	[redacted] SV40; [redacted] p53/Rb; [redacted]; [redacted]; [redacted]

Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

Citation	HSF(SV40) ([redacted] Cytion 305338)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	[redacted]
GMO Status	GMO-S1: [redacted] HSF [redacted] SV40 T-antigen [redacted]

Culture Medium	DMEM:Ham's F12 (1:1), w: 3.1 [redacted]/[redacted] [redacted], w: 2.5 [redacted] L-[redacted], w: 15 [redacted] HEPES, w: 0.5 [redacted]

HSF (SV40) | 305338

Supplements	FBS 10%, 50 /
Dissociation Reagent	
Doubling time	24 36
Subculturing	PBS, Accutase (8–10), , 300×g 3 ,
Split ratio	1 3
Seeding density	1 3 × 10^4 /
Fluid renewal	2 3
Freeze medium	(FBS) + 10% DMSO
Thawing and Culturing Cells	1. 2. cryovial -150 3. 37°C 4. 70% 5. 15 6. 300 x g 3 7. 10 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	

HSF (SV40) | 305338

Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted] −150 [redacted] −196 °C [redacted]
Sterility	[redacted] PCR [redacted]