Product sheet

HCC4006 | 305785

Description	HCC4006 [redacted] (NSCLC) [redacted] Encyclopedia (CCLE) HCC4006 [redacted], [redacted] [redacted] [redacted] [redacted] HCC4006 [redacted] HCC4006 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted]
Synonyms	HCC-4006, [redacted] 4006

Age	>50 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

Citation	HCC4006 ([redacted] Cytion 305785)
Biosafety level	1

HCC4006 | 305785

NCBI_TaxID	9606
CellosaurusAccession	CVCL_1269

Mutational profile	[redacted]: EGFR, [redacted], p.Leu747_Glu749del (c.2239_2247delTAAGAGAA), [redacted] (ATCC=CRL-2871, TP5 (DepMap=ACH-000066).

Culture Medium	RPMI 1640, w: 2.0 mM [redacted], w: 2.0 [redacted]/[redacted] NaHCO3 ([redacted] Cytion 820700a)
Supplements	[redacted] FBS 10%
Dissociation Reagent	[redacted]
Doubling time	46 [redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Freeze medium	[redacted] (FBS) + 10% DMSC

Thawing and Culturing Cells	1. [illegible] 2. [illegible] cryovial [illegible] -150 [illegible] 3. [illegible] 37°C [illegible] 4. [illegible] 70% [illegible] 5. [illegible] 15 [illegible] 6. [illegible] 300 x g [illegible] 3 [illegible] 7. [illegible] 10 [illegible] 8. [illegible]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible]
Flask Coating	[illegible]
Freezing Procedure	[illegible]
Shipping Conditions	[illegible]
Storage Conditions	[illegible] −150 [illegible] −196 °C [illegible]
Sterility	[illegible] PCR [illegible] [illegible]