

Product sheet

CHO-CXCR4 | 305411MH

CHO-CXCR4

Description

CHO-CXCR4-Medium-high CHO (Chinese Hamster Ovary) CXCR4 CD184

Organism

Tissue

Synonyms CHO-CXCR4

CHO-CXCR4

Age

Gender

Morphology

Growth properties

CHO-CXCR4

Citation CHO-CXCR4 (Cytion 305411MH)

Biosafety level 1

NCBI_TaxID 10029

GMO Status GMO-S1: This CHO derivative contains a construct driving medium-to-high expression of human CXCR4 for GPCR signaling and ligand-binding analyses. This classification applies only within Germany and may differ elsewhere.

CHO-CXCR4

Receptors expressed CXCR4 (CXCR4)

CHO-CXCR4 | 305411MH

General Information

Culture Medium DMEM:Ham's F12 (1:1), w: 3.1 g/l / 100 ml, w: 2.5 g/l L-Glutamine, w: 15 mg/ml InSCREENeX; InSCREENeX INS-ME-1039)

Supplements FBS 5% Geneticin (G418-Sulfat) 0.5 mg/ml

Dissociation Reagent EDTA

Subculturing PBS

Fluid renewal 2-3 times

Post-Thaw Recovery 1:2 to 1:3 T25

Freeze medium (FBS) + 10% DMSO

- Thawing and Culturing Cells**
1. Thaw cryovial in 37°C water bath
 2. Transfer cells to cryovial and centrifuge at -150°C
 3. Resuspend cells in 15 ml medium
 4. Seed cells into T25 flask at 70% confluency
 5. Incubate cells for 15 days
 6. Harvest cells at 300 x g for 3 min
 7. Wash cells with PBS
 8. Resuspend cells in PBS

Incubation Atmosphere 37°C, 5% CO₂, humidified atmosphere.

