Product sheet

HK/FDC | 300205

Description	HK/FDC HK/FDC B
Organism	
Tissue	
Disease	
Metastatic site	(;)
Applications	; (FDC);
Age	
Gender	
Ethnicity	
Morphology	
Cell type	
Growth properties	
Citation	HK/FDC (Cytion 300205)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_IY38

HK/FDC | 300205

GMO Status	GMO-S1: HK/FDC (Cytion/Inscreenex
Viruses	, i.A.
Culture Medium	DMEM:Ham's F12 (1:1), w: 3.1 /, w: 2.5 L-, w: 15 HEPES, w: 0.5
Supplements	FBS 10%
Dissociation Reagent	
Doubling time	24 48
Split ratio	1 3
Seeding density	1 3 × 10^4 /
Fluid renewal	2 3
Freeze medium	(FBS) + 10% DMSO

Thawing and Culturing Cells	1. [illegible] 2. [illegible] [illegible]cryovial [illegible]-150 [illegible] [illegible] 3. [illegible] [illegible]37°C [illegible] 4. [illegible] [illegible]70% 5. [illegible] [illegible]15 [illegible] 6. [illegible]300 x g [illegible]3 [illegible] [illegible] [illegible] 7. [illegible] [illegible]10 [illegible] [illegible] [illegible] 8. [illegible]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible]
Flask Coating	[illegible]
Freezing Procedure	[illegible]
Shipping Conditions	[illegible]
Storage Conditions	[illegible] [illegible]−150 [illegible]−196 °C [illegible]
Sterility	[illegible]PCR [illegible] [illegible] [illegible] [illegible] [illegible]