

Product sheet

XXXXXXXX NCI-H322 | 305839

XXXXXXXXXXXXXXXXXXXX

**Description** NCI-H322 (NSCLC) KRAS  
NCI-H322 KRAS  
NCI-H322

**Organism** XXXXX

**Tissue** XXX

**Disease** XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

**Synonyms** H322, H-322, H322T, NCI-H322T, NCIH322T, NCI-322, NCIH322

XXXXXXXXXX

**Age** 52 XX

**Gender** XXX

**Ethnicity** XXXXXXXXXXX

**Cell type** XXXXXXXXXXX

**Growth properties** XXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

**Citation** NCI-H322 (XXXXXXXXXXXXXXXXXXXX Cytion 305839)

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_1556

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

NCI-H322 | 305839

**Mutational profile** TP53, p.Arg248Leu (c.743G>T), (PubMed=1311061, PubMed=1565469, PubMed=103...)

**Culture Medium** RPMI 1640, w: 2.0 mM , w: 2.0 / NaHCO3 (Cytion 820700a)

**Supplements** FBS 10%

**Dissociation Reagent**

**Doubling time** 50

**Freeze medium** (FBS) + 10% DMSO

**Thawing and Culturing Cells**

- 1. ...
- 2. ... cryovial -150 ...
- 3. ... 37°C ...
- 4. ... 70%
- 5. ... 15 ...
- 6. ... 300 x g 3 ...
- 7. ... 10 ...
- 8. ...

**Incubation Atmosphere** 37°C, 5% CO2, ...

**Flask Coating** ...

