Product sheet

MDA-MB-175-VII | 305825

[redacted]

Description	MDA-MB-175-VII [redacted] [redacted] MDA-MB-175-VII [redacted] 49 [redacted] [redacted] Cancer Cell Line Encyclopedia (CCLE) [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted]
Synonyms	MDA MB 175 VII, MDA-MB-175VII, MDAMB175VII, MDA-MB-175, MDAMB175, MDA-175, MDA175, MD Anderson-Metastatic Breast-175-VII

[redacted]

Age	56 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	MDA-MB-175VII ([redacted] Cytion 305825)
Biosafety level	1

MDA-MB-175-VII | 305825

NCBI_TaxID	9606
CellosaurusAccession	CVCL_1400

[illegible]

Isoenzymes	AK-1, 1 ES-D, 1 G6PD, B GLO-I, 1-2 PGM1, 2 PGM3, 1-2
Tumorigenic	[illegible]; [illegible], [illegible] 21 [illegible] [illegible] 100% (5/5) [illegible] 10
Mutational profile	[illegible]: [illegible], NRG1 + HGNC, TENM4, [illegible]=TENM4-NRG1, DOC4-NRG1, [illegible]=[illegible]
Karyotype	[illegible] = 84; [illegible] = 82 [illegible] 89

[illegible]

Culture Medium	DMEM:Ham's F12 (1:1), w: 3.1 [illegible]/[illegible] [illegible], w: 2.5 [illegible] L-[illegible], w: 15 [illegible] HEPES, w: 0.5 [illegible]
Supplements	[illegible] FBS 10% + [illegible] (5 [illegible]/[illegible])
Dissociation Reagent	[illegible]
Doubling time	112 [illegible]
Fluid renewal	2 [illegible] 3 [illegible]
Freeze medium	[illegible] [illegible] ([illegible] FBS) + 10% DMSO

MDA-MB-175-VII | 305825

Thawing and Culturing Cells	1. 2. cryovial -150 3. 37°C 4. 70% 5. 15 6. 300 x g 3 7. 10 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	
Shipping Conditions	
Storage Conditions	−150 −196 °C

Sterility	PCR