

Product sheet

NCI-H1755 | 305834

XXXXXXXXXXXXXXXXXX

Description
NCI-H1755 (NSCLC)
NCI-H1755
NCI-H1755

Organism

Tissue

Disease

Synonyms H1755, H-1755, NCIH1755

XXXXXX

Age 65

Gender

Ethnicity

Cell type

Growth properties

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

Citation NCI-H1755 (Cytion 305834)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1492

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

NCI-H1755 | 305834

Mutational profile BRAF, p.Gly469Ala (c.1406G>C), Heterozygous, TP53, p.Cys242Phe (c.725G>T), Homozygous

Culture Medium RPMI 1640, w: 2.0 mM, w: 2.0 / NaHCO3 (Cytion 820700a)

Supplements FBS 10%

Dissociation Reagent

Fluid renewal 2 x 3

Freeze medium (FBS) + 10% DMSO

Thawing and Culturing Cells

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.

Incubation Atmosphere 37°C, 5% CO2

Flask Coating

