

HCC1428 | 305782

Description HCC1428 [\[Link\]](#) B [\[Link\]](#)
[\[Link\]](#) HCC1428 [\[Link\]](#)
HCC1428 [\[Link\]](#) Cancer Cell Line Encyclopedia (CCLE) [\[Link\]](#)

Organism [\[Link\]](#)

Tissue [\[Link\]](#)

Disease [\[Link\]](#)

Metastatic site [\[Link\]](#)

Synonyms HCC-1428, [\[Link\]](#) 1428

Age 49 [\[Link\]](#)

Gender [\[Link\]](#)

Ethnicity [\[Link\]](#)

Morphology [\[Link\]](#)

Cell type [\[Link\]](#)

Growth properties [\[Link\]](#) [\[Link\]](#) [\[Link\]](#)




Citation HCC1428 ([\[Link\]](#) Cytion 305782)

Biosafety level 1

NCBI_TaxID 9606

HCC1428 | 305782



CellosaurusAccession CVCL_1252

Antigen expression  2 [EGP2] ;  19 ;  Her2-neu ;  p53 

Oncogenes Her2/neu-; p53-

Mutational profile  , ABCG1 + HGNC, SLC37A1, =SLC37A1-ABCG1. , FHIT, , Ex4del, Hom

Karyotype 

Culture Medium DMEM:Ham's F12 (1:1), w: 3.1 / , w: 2.5 L-, w: 15  HEPES, w: 0.5 

Supplements  FBS 10%

Dissociation Reagent 

Doubling time 88 

Fluid renewal 2  3 

Freeze medium  ( FBS) + 10% DMSO

