Product sheet

[redacted] NCI-H2052 | 305836

[redacted]

Description	NCI-H2052 [redacted] [redacted] NCI-H2052 [redacted] [redacted] BAP1 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	H2052, H-2052, H2052_MM, NCIH2052

[redacted]

Age	65 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	NCI-H2052 ([redacted] Cytion 305836)
Biosafety level	1
NCBI_TaxID	9606

[redacted] NCI-H2052 | 305836

CellosaurusAccession	CVCL_1518

[redacted]

Mutational profile	[redacted]: [redacted], CDKN2A, [redacted]. [redacted], LATS2, [redacted], [redacted], NF2, [redacted], p.Ar (c.228C>T)(C228T), [redacted], [redacted]=[redacted] (PubMed=31068700)

[redacted]

Culture Medium	RPMI 1640, w: 2.0 mM [redacted], w: 2.0 [redacted]/[redacted] NaHCO3 ([redacted] Cytion 820700a)
Supplements	[redacted] FBS 10%
Dissociation Reagent	[redacted]
Doubling time	48 [redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Freeze medium	[redacted] (FBS) + 10% DMSC
Thawing and Culturing Cells	

1. [redacted]
2. [redacted] cryovial [redacted] -150 [redacted]
3. [redacted] 37°C [redacted]
4. [redacted] 70%
5. [redacted] 15 [redacted]
6. [redacted] 300 x g [redacted] 3 [redacted]
7. [redacted] 10 [redacted]
8. [redacted]

NCI-H2052 | 305836

Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Shipping Conditions	
Storage Conditions	−150 −196 °C

/ / HLA

Sterility	PCR