

Product sheet

XXXXXXXX NCI-H1793 | 305911

XXXXXXXXXXXXXXXXXXXX

Description NCI-H1793 (NSCLC) KRAS (G12C) NCI-H1793 NCI-H1793

Organism XXXXXX

Tissue XXX

Disease XXXXXXXXXXXXXXXXXXXXXXX

Synonyms H1793, H-1793, NCIH1793

XXXXXXXXXX

Age 52

Gender XXXXXXX

Ethnicity XXXXXXXXXX

Morphology XXXXXXXXXXXXX

Growth properties XXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

Citation NCI-H1793 (Cytion 305911)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1496

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

NCI-H1793 | 305911

Mutational profile

p.Arg209Ter, Heterozygous; p.Arg273His, Heterozygous

NCI-H1793

Culture Medium

HITES

DMEM (Gibco) + 10% FBS + 10% DMSO

- 0.005 mg/ml / ml
- 0.01 mg/ml / ml
- 30 mg/ml Sodium selenite (mg/ml)
- mg/ml 10 mg/ml (mg/ml)
- 10 mg/ml - mg/ml (mg/ml)
- mg/ml (L-glutamine) mg/ml 2 mg/ml (mg/ml 4.5 mg/ml)
- 5% mg/ml (mg/ml)

Dissociation Reagent

mg/ml

Freeze medium

mg/ml (mg/ml FBS) + 10% DMSO

Thawing and Culturing Cells

1. mg/ml mg/ml
2. mg/ml cryovial mg/ml -150 mg/ml mg/ml
3. mg/ml mg/ml 37°C mg/ml
4. mg/ml mg/ml 70%
5. mg/ml mg/ml 15 mg/ml
6. mg/ml 300 x g mg/ml 3 mg/ml mg/ml
7. mg/ml mg/ml 10 mg/ml mg/ml
8. mg/ml mg/ml

