Product sheet

[redacted] OVCAR-8-Luc | 305697

[redacted]

Description	[redacted] OVCAR-8-Luc [redacted] [redacted] OVCAR-8-Luc [redacted] (longitudinal p53 [redacted] [redacted] [redacted] OVCAR-8-Luc [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted] ([redacted])
Applications	[redacted]; [redacted]/ [redacted]; [redacted]
Synonyms	OVCAR 8, NIH:OVCAR-8, OVCAR8, Ovcar8, OVCAR.8, OVCA8, OVCAR-8/EGFP_LC3

[redacted]

Age	64 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	OVCAR-8-Luc ([redacted] Cytion 305697)
Biosafety level	1

[redacted] OVCAR-8-Luc | 305697

NCBI_TaxID	9606
CellosaurusAccession	CVCL_2169
GMO Status	GMO-S1: [redacted] (OVCAR-8-Luc) [redacted]-Luc [redacted]

[redacted]

Protein expression	[redacted]
Antigen expression	Luc2 ([redacted], [redacted]-[redacted])

[redacted]

Culture Medium	RPMI 1640, w: 2.0 mM [redacted], w: 2.0 [redacted]/[redacted] NaHCO3 ([redacted] Cytion 820700a)
Supplements	[redacted] FBS 10%
Dissociation Reagent	[redacted]
Seeding density	1-3 x 10^4 [redacted]/[redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Freeze medium	[redacted] + 10% DMSO [redacted]

OVCAR-8-Luc | 305697

Thawing and Culturing Cells	1. [illegible] 2. [illegible] cryovial [illegible] -150 [illegible] 3. [illegible] 37 [illegible] 4. [illegible] 70% 5. [illegible] 15 [illegible] 6. [illegible] 200 x g [illegible] 5 [illegible] 7. [illegible]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible]
Shipping Conditions	[illegible]
Storage Conditions	[illegible] −150 [illegible] −196 °C [illegible]

[illegible]