Product sheet

[redacted] Cytion293F-X | 305927

[redacted]

Description	Cytion293F-X [redacted] H [redacted] Cytion293F-X [redacted] [redacted] Cytion293F-X [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted] (HEK293; [redacted]; [redacted]
Metastatic site	[redacted] (HEK293 [redacted])
Applications	[redacted]

[redacted]

Age	[redacted]
Gender	[redacted]
Ethnicity	[redacted] ([redacted])
Morphology	[redacted]
Cell type	[redacted] ([redacted])
Growth properties	[redacted]

[redacted]

Citation	Cytion293F-X ([redacted] Cytion 305927)
Biosafety level	1
NCBI_TaxID	9606

[redacted] Cytion293F-X | 305927

CellosaurusAccession	[redacted] (Cytion293F-X [redacted] HEK293F [redacted]; [redacted]
GMO Status	GMO-S1: [redacted] Cytion293F-X [redacted] SV40 [redacted]

[redacted]

Receptors expressed	[redacted]
Protein expression	CEA [redacted], p53 [redacted]
Tumorigenic	[redacted]
Viruses	[redacted] 5 [redacted] 5

[redacted]

Culture Medium	Expi293 [redacted]
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] T25 [redacted]
Seeding density	0.3 [redacted] 1 x 10^6 [redacted]/[redacted]
Fluid renewal	2 [redacted]
Post-Thaw Recovery	[redacted] 4 [redacted] 24 [redacted]
Freeze medium	[redacted] + 10% DMSO [redacted]

Cytion293F-X | 305927

Thawing and Culturing Cells	1. [redacted] 2. [redacted] cryovial [redacted] -150 [redacted] 3. [redacted] 37 [redacted] 4. [redacted] 70% 5. [redacted] 15 [redacted] 6. [redacted] 200 x g [redacted] 5 [redacted] 7. [redacted]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted] −150 [redacted] −196 °C [redacted]

[redacted]