Product sheet

KC Cells | 300604

Description	KC (Kc167) Drosophila melanogaster KC Drosophila, RNAi CRISPR , DRSC/TRiP) KC
Organism	( )
Tissue	
Disease	
Metastatic site	( )
Applications	rosophila; RNAi ; CRISPR; (Wnt/Wingless, He
Synonyms	,

Age	
Gender	
Morphology	
Cell type	
Growth properties	

Citation	KC (Cytion 300604)
Biosafety level	2
NCBI_TaxID	7227

KC Cells | 300604

CellosaurusAccession	CVCL_Z833
GMO Status	GMO-S2: Drosophila SV40
Virus susceptibility	SV40
Culture Medium	Drosophila Schneider + 2 + 10% (FBS)
Supplements	2 FBS 10%
Dissociation Reagent	(;)
Doubling time	24 48
Subculturing	
Split ratio	1 3
Seeding density	5×10^5 1×10^6 /
Fluid renewal	2 3
Freeze medium	(FBS) + 10% DMSO

Thawing and Culturing Cells	1. [illegible] 2. [illegible] [illegible] cryovial [illegible] -150 [illegible] [illegible] 3. [illegible] [illegible] 37°C [illegible] 4. [illegible] [illegible] 70% 5. [illegible] [illegible] 15 [illegible] 6. [illegible] 300 x g [illegible] 3 [illegible] [illegible] [illegible] 7. [illegible] [illegible] 10 [illegible] [illegible] [illegible] 8. [illegible]
Incubation Atmosphere	25°C, [illegible] ([illegible] CO_2)
Shipping Conditions	[illegible]
Storage Conditions	[illegible] [illegible] −150 [illegible] −196 °C [illegible]