Product sheet

KC Cells | 300604

Description	KC (Kc167) [illegible] Drosophila melanogaster [illegible] [illegible] KC [illegible] Drosophila, [illegible] RNAi [illegible] CRISPR [illegible], [illegible] DRSC/TRiP) [illegible] KC [illegible]
Organism	[illegible] ([illegible])
Tissue	[illegible]
Disease	[illegible]
Metastatic site	[illegible] ([illegible])
Applications	[illegible]rosophila; [illegible] RNAi [illegible]; [illegible] CRISPR; [illegible] (Wnt/Wingless, He
Synonyms	[illegible], [illegible]

Age	[illegible]
Gender	[illegible]
Morphology	[illegible]
Cell type	[illegible]
Growth properties	[illegible]

Citation	KC ([illegible] Cytion 300604)
Biosafety level	2
NCBI_TaxID	7227

KC Cells | 300604

CellosaurusAccession	CVCL_Z833
GMO Status	GMO-S2: □□□□□□□□□□□□□□□□ Drosophila □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ SV40 □□□□□□□□□□□□□□□□□□□□□□□□□□ □□□□□□□□□
Virus susceptibility	SV40 □□□□□□□□□□□□□□□□
Culture Medium	□□□□□□□□□□□□□□□□□□□□ Drosophila □□□□ Schneider + □□□□□□□□□□ 2 □□□□□□□□□□□□□□ + □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□ 10% (FBS)
Supplements	□□□□□□□□□□□□□□□ 2 □□□□□□□□□□□□□□ □□□□ FBS 10% □□□□□□□□□□□□□□□□□□□□□□□□□□
Dissociation Reagent	□□□□□□□□□□□□ (□□□□□□□□□□□□□□; □□□□□□□□□□□□□□□□□)
Doubling time	□□□□□□□□ 24 □□□□ 48 □□□□□□□□□
Subculturing	□□□□□□□□□□□□□□□□□□□□

Thawing and Culturing Cells	1. [illegible] 2. [illegible] cryovial [illegible] -150 [illegible] 3. [illegible] 37°C [illegible] 4. [illegible] 70% 5. [illegible] 15 [illegible] 6. [illegible] 300 x g [illegible] 3 [illegible] 7. [illegible] 10 [illegible] 8. [illegible]
Incubation Atmosphere	25°C, [illegible] ([illegible] CO_2)
Shipping Conditions	[illegible]
Storage Conditions	[illegible] −150 [illegible] −196 °C [illegible]