[redacted] HL-1 | 305264

[redacted]

Description	HL-1 [redacted] [redacted] HL-1 [redacted]
Organism	[redacted]
Tissue	[redacted], [redacted]
Disease	[redacted] (SV40 large T antigen-[redacted] AT-1; [redacted]; [redacted]
Applications	[redacted]; [redacted]; [redacted]
Synonyms	HL1, HL-1 F2 P76

[redacted]

Breed/Subspecies	C3HeB/FeJ [redacted]
Age	[redacted]
Gender	[redacted]
Ethnicity	[redacted] ([redacted] C3HeB/FeJ; [redacted] Q)
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	HL-1 ([redacted] Cytion 305264)
Biosafety level	2
NCBI_TaxID	10090

[redacted] HL-1 | 305264

CellosaurusAccession	CVCL_0303

[redacted]

Viruses	[redacted]: [redacted] 40 (SV40)

[redacted]

Culture Medium	[redacted] ([redacted]; [redacted] [redacted]
Supplements	[redacted] FBS 10%
Dissociation Reagent	[redacted]
Doubling time	[redacted] 24 [redacted] 36 [redacted]
Subculturing	[redacted] PBS [redacted] T25 [redacted]
Split ratio	1 [redacted] 3
Seeding density	2 [redacted] 4 x 10^4 [redacted]/[redacted]
Fluid renewal	[redacted] ([redacted] Claycomb Medium [redacted] 24 [redacted])
Post-Thaw Recovery	[redacted] [redacted]/[redacted] ([redacted]
Freeze medium	[redacted] ([redacted] FBS) + 10% DMSO

HL-1 | 305264

Thawing and Culturing Cells	1. 2. cryovial -150 3. 37°C 4. 70% 5. 15 6. 300 x g 3 7. 10 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Shipping Conditions	
Storage Conditions	−150 −196 °C

Sterility	PCR