NPC/HK1 | 305531

Description	NPC/HK1 (□□□□□□□□□□□□□□□□□□ HK-1 □□□□□ HK1) □□□□□□□□□□□□□□□□□□□

NPC/HK1 | 305531

CellosaurusAccession CVCL_7084

Culture Medium	RPMI 1640, w: 2.0 mM [redacted], w: 2.0 [redacted]/[redacted] NaHCO3 ([redacted] Cytion 820700a)
Supplements	[redacted] FBS 10%
Dissociation Reagent	[redacted]
Doubling time	28 ± 2 [redacted]
Subculturing	[redacted] PBS [redacted] Accutase [redacted]
Split ratio	1 [redacted] 5
Seeding density	1 [redacted] 3×10^4 [redacted]/[redacted]
Fluid renewal	[redacted] 2 [redacted] 3 [redacted]
Freeze medium	[redacted] + 10% DMSO [redacted]

NPC/HK1 | 305531

Thawing and Culturing Cells	1. [illegible] 2. [illegible] cryovial [illegible] -150 [illegible] [illegible] 3. [illegible] 37 [illegible] 4. [illegible] 70% 5. [illegible] 15 [illegible] 6. [illegible] 200 x g [illegible] 5 [illegible] [illegible] 7. [illegible]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible]
Shipping Conditions	[illegible]
Storage Conditions	[illegible] −150 [illegible] −196 °C [illegible]