Product sheet

[redacted] UM-SCC-125 | 305724

[redacted]

Description	UM-SCC-125 [redacted] HNSCC [redacted] UM-SCC [redacted] [redacted] HNSCC [redacted] [redacted] [redacted]
Organism	[redacted]
Tissue	[redacted], [redacted]
Disease	[redacted] (HNSCC)
Applications	[redacted] HNSCC; [redacted]; [redacted]; [redacted] panel [redacted] UM-SCC; [redacted] xenograft

[redacted]

Age	[redacted]
Gender	[redacted]
Ethnicity	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	UM-SCC-125 ([redacted] Cytion 305724)
Biosafety level	1
NCBI_TaxID	9606

[redacted]

UM-SCC-125 | 305724

Culture Medium	DMEM, w: 4.5 / , w: 4 -, w: 3.7 / NaHCO3, w: 1.0
Supplements	FBS 10%
Dissociation Reagent	Accutase, 10 , 37°C
Doubling time	24 48
Subculturing	PBS Accutase
Split ratio	1 5
Seeding density	1 3 $\times 10^4$ /
Fluid renewal	2 3
Freeze medium	+ 10% DMSO

Thawing and Culturing Cells

1.
2. cryovial -150
3. 37
4. 70%
5. 15
6. 200 x g 5
7.

UM-SCC-125 | 305724

Incubation Atmosphere	37°C, 5%$_{CO2}$,
Shipping Conditions	
Storage Conditions	−150 −196 °C