

MA-891 | 305581

Product description

Description	MA-891
	MA-891
Organism	
Tissue	
Disease	
Metastatic site	
Applications	
Synonyms	

Product characteristics

Age	
Gender	
Ethnicity	
Morphology	
Cell type	
Growth properties	

Product information

Citation	MA-891 (Cytion 305581)
Biosafety level	1
NCBI_TaxID	10090

Culture Medium	RPMI-1640 10% FBS; 1%
Supplements	FBS 10% - 1%
Dissociation Reagent	
Doubling time	18 24
Subculturing	PBS Accutase
Split ratio	1 5
Seeding density	1 × 10 ⁴ /
Fluid renewal	2 3
Freeze medium	(FBS) + 1

MA-891 | 305581

Thawing and
Culturing Cells

- 1. Thaw the cells in a water bath at 37°C.
- 2. Add the cells to a cryovial and store at -150 °C.
- 3. Thaw the cells in a water bath at 37°C.
- 4. Add the cells to a cryovial and store at 70%.
- 5. Add the cells to a cryovial and store at 15 °C.
- 6. Add the cells to a cryovial and store at 300 x g 3 °C.
- 7. Add the cells to a cryovial and store at 10 °C.
- 8. Add the cells to a cryovial and store at 10 °C.

Incubation
Atmosphere

37°C, 5% CO₂, 100% humidity

Shipping
Conditions

Store at -150 °C

Storage
Conditions

Store at -150 °C to -196 °C

MA-891 | 305581