

UM-SCC-128 | 305726

General information

Description	UM-SCC-128 (University of Michigan) SCC HNSCC
Organism	
Tissue	
Disease	(HNSCC)
Metastatic site	()
Applications	HNSCC; panel UM-SCC; xenograft

Characteristics

Age	
Gender	
Ethnicity	
Morphology	
Cell type	
Growth properties	

Additional information

Citation	UM-SCC-128 (Cytion 305726)
Biosafety level	1
NCBI_TaxID	9606

XXXXXXUM-SCC-128 | 305726

CellosaurusAccession

[illegible]

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXX

Culture Medium DMEM, w: 4.5 g/l Glucose, w: 4 g/l FCS, w: 3.7 g/l NaHCO₃, w: 1.0 g/l Penicillin, w: 1.0 g/l Streptomycin, w: 0.1 g/l Nystatin

Supplements FBS 10% (NEAA) 1%

Dissociation Reagent 



Doubling time ☐ 24 ☐ 48 ☐

Subculturing

Split ratio 1 : 5




Seeding density 1  3 $\times$ 4                                                                                                                                         

Fluid renewal ☐2 ☐3 ☐

Freeze medium  + 10% DMSO 

XXXXXXUM-SCC-128 | 305726

Thawing and Culturing Cells

1.  
2.   cryovial  -150  
3.   37 
4.   70%
5.   15  
6.  200 x g  5 
7. 

Incubation Atmosphere

37°C, 5% CO₂,

Shipping Conditions



Storage Conditions

-150 -196 °C