

UM-SCC-129 | 305727

Product information

Description	UM-SCC-129 (HNSCC) UM-SCC-129 HNSCC (cisplatin-resistant) UM-SCC STR TP53
Organism	
Tissue	
Disease	(HNSCC)
Metastatic site	()
Applications	HNSCC; ; /5-FU/ ; EGFR;

Cell characteristics

Age	
Gender	
Ethnicity	
Morphology	
Cell type	
Growth properties	

Additional information

Citation	UM-SCC-129 (Cytion 305727)
Biosafety level	1
NCBI_TaxID	9606

XXXXXXUM-SCC-129 | 305727

[illegible][illegible]

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXX

Culture Medium DMEM, w: 4.5 g/L Glucose, w: 4 g/L FBS, w: 3.7 g/L NaHCO₃, w: 1.0 g/L Penicillin, w: 1.0 g/L Streptomycin

Supplements  FBS 10%  NEAA 1%

Dissociation Reagent	XXXXXXXXXX
----------------------	------------

Doubling time ☐ 24 ☐ 48 ☐

Subculturing




Split ratio 1 1/5

Seeding density $1 \times 3 \times 4 \times 100000 / 100$

Fluid renewal ☐ ☐ ☐ 2 ☐ ☐ ☐ 3 ☐ ☐ ☐

Freeze medium + 10% DMSO

Thawing and Culturing Cells

1.  
2.   cryovial  -150  
3.   37 
4.   70%
5.   15 
6.  200 x g  5 
7. 

Incubation Atmosphere

37°C, 5% CO₂,

Shipping Conditions



Storage Conditions

—150 —196 °C