Product sheet

[redacted] K7M2 wt-Luc | 305684

[redacted]

Description	K7M2 wt-Luc [redacted] K7M2 [redacted] [redacted] K7M2 wt-Luc [redacted] (BLI) [redacted] K7M2 wt-Luc [redacted] K7M2 [redacted] [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Metastatic site	[redacted]
Applications	[redacted]; [redacted] BALB/c [redacted]; [redacted]
Synonyms	K7M2-WT, K7M2

[redacted]

Breed/Subspecies	BALB/c
Age	895 [redacted]
Gender	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	K7M2 wt-Luc ([redacted] Cytion 305684)
Biosafety level	1
NCBI_TaxID	10090

[redacted] K7M2 wt-Luc | 305684

CellosaurusAccession	[redacted] ([redacted] K7M2 wt-Luc reporter; [redacted] K7M2 [redacted] BALB/c [redacted]
GMO Status	GMO-S1: [redacted] (Luc2, [redacted]-[redacted]) [redacted]

[redacted]

Receptors expressed	[redacted] (C3), [redacted], [redacted] Fc, IgG, [redacted] I(Fcgr1), [redacted]
Antigen expression	Luc2 ([redacted], [redacted]-[redacted])
Tumorigenic	[redacted]

[redacted]

Culture Medium	[redacted]
Supplements	[redacted] FBS 10%
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] T25 [redacted]
Split ratio	1 [redacted] 3
Seeding density	1 [redacted] 3 x 10^4 [redacted]/[redacted]^2
Fluid renewal	2 [redacted] 3 [redacted]
Freeze medium	[redacted] + 10% DMSO [redacted]

K7M2 wt-Luc | 305684

Thawing and Culturing Cells	1. 2. cryovial -150 3. 37 4. 70% 5. 15 6. 200 x g 5 7.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Shipping Conditions	
Storage Conditions	−150 −196 °C