Product sheet

HEp-2 | 300397

Description	HEp-2 HEp-2 HEp-2 HEp-2 HeLa
Organism	
Tissue	
Disease	
Applications	HEp-2
Synonyms	Hep-2, HEP-2, HEp-2/HeLa, Hep 2, Hep2, HEp2, HEP2, H.Ep.-2, H.Ep. #2, H.Ep. No. 2, Hep II,

Age	30
Gender	
Ethnicity	
Morphology	
Growth properties	,

Citation	HEp-2 (Cytion 300397)
Biosafety level	1
NCBI_TaxID	9606

[redacted] HEp-2 | 300397

CellosaurusAccession	CVCL_1906

[redacted]

Isoenzymes	[redacted]6 [redacted], [redacted]
Reverse transcriptase	[redacted]
Products	[redacted]

[redacted]

Culture Medium	EMEM (MEM Eagle), w: 2 mM L-Glutamine, w: 2.2 g/L NaHCO3, w: EBSS ([redacted] Cytion 820100a)
Supplements	[redacted] FBS 10% [redacted] NEAA 1%
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] [redacted] T25 [redacted]
Seeding density	1 x 10^4 [redacted]/[redacted]^
Fluid renewal	2 [redacted] 3 [redacted]
Post-Thaw Recovery	[redacted] 24 [redacted]
Freeze medium	[redacted] [redacted] (FBS) + 10% DMSO

HEp-2 | 300397

Thawing and Culturing Cells	1. 2. cryovial -150 3. 37°C 4. 70% 5. 15 6. 300 x g 3 7. 10 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	
Shipping Conditions	
Storage Conditions	−150 −196 °C

Sterility	PCR