Product sheet

[redacted] Hep-66.3A | 400206

[redacted]

Description	[redacted] Hep-66.4A hepatoma [redacted] C57BL/6J [redacted] Hep-66.4A [redacted] (hepatocytes) [redacted] p53 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	HEP-66.3A, 66.3A

[redacted]

Breed/Subspecies	C57BL/6J
Age	[redacted]
Gender	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	Hep-66.3A ([redacted] Cytion 400206)
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_5771

[redacted]

[redacted] Hep-66.3A | 400206

Protein expression	[redacted] 8, [redacted] 18, [redacted]
Tumorigenic	[redacted] B6C3F1
Mutational profile	[redacted]53 [redacted]

[redacted]

Culture Medium	DMEM, w: 4.5 [redacted]/[redacted] [redacted], w: 4 [redacted] [redacted]-[redacted], w: 3.7 [redacted]/[redacted] NaHCO3, w: 1.0 [redacted]
Supplements	[redacted] FBS 10%
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] T25 [redacted]
Fluid renewal	[redacted] 3 [redacted] 5 [redacted]
Freeze medium	[redacted] (FBS) + 10% DMSO

[redacted] Hep-66.3A | 400206

Thawing and Culturing Cells	1. [redacted] 2. [redacted] cryovial [redacted] -150 [redacted] 3. [redacted] 37°C [redacted] 4. [redacted] 70% 5. [redacted] 15 [redacted] 6. [redacted] 300 x g [redacted] 3 [redacted] 7. [redacted] 10 [redacted] 8. [redacted]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted] −150 [redacted] −196 °C [redacted]

[redacted]

Sterility	[redacted] PCR [redacted] [redacted]