Product sheet

[redacted] AtT-20 | 305161

[redacted]

Description	[redacted] AtT-20 [redacted] [redacted] AtT-20 [redacted] [redacted] [redacted] AtT-20 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	AtT20, AtT 20, ATT-20

[redacted]

Breed/Subspecies	LAF1
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	AtT-20 ([redacted] Cytion 305161)
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_2300

[redacted]

Protein expression	[redacted] (ACTH)

[redacted] AtT-20 | 305161

[redacted]

Culture Medium	Ham's F12K Medium, w: 2.0 mM L-Glutamine, w: 2.0 mM Sodium pyruvate, w: 2.5 g/L NaHCO3 ([redacted] Cytion 820608
Supplements	[redacted] FBS 2.5% [redacted] 15%
Dissociation Reagent	[redacted]
Subculturing	[redacted] 5 x 10
Fluid renewal	2 [redacted] 3 [redacted]
Freeze medium	[redacted] (FBS) + 10% DMSO
Thawing and Culturing Cells	1. [redacted] 2. [redacted] cryovial [redacted] -150 [redacted] 3. [redacted] 37°C [redacted] 4. [redacted] 70% 5. [redacted] 15 [redacted] 6. [redacted] 300 x g [redacted] 3 [redacted] 7. [redacted] 10 [redacted] 8. [redacted]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]

AtT-20 | 305161

Freezing Procedure	
Shipping Conditions	
Storage Conditions	−150 −196 °C

/ / HLA

Sterility	PCR