Product sheet

[redacted] CLS-138 | 400177

[redacted]

Description	[redacted] CLS-138 [redacted] NMRI [redacted] CLS-138 [redacted] [redacted] CLS-138 [redacted] CLS-138 [redacted] NMRI [redacted] [redacted] CLS-138 [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]

[redacted]

Breed/Subspecies	NMRI
Age	[redacted]
Gender	[redacted]
Morphology	[redacted]
Cell type	[redacted]
Growth properties	[redacted]

[redacted]

Citation	CLS-138 ([redacted] Cytion 400177)
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_5726

[redacted] CLS-138 | 400177

[redacted]

Tumorigenic	[redacted]

[redacted]

Culture Medium	DMEM, w: 4.5 [redacted]/[redacted] [redacted], w: 4 [redacted] [redacted]-[redacted], w: 3.7 [redacted]/[redacted] NaHCO3, w: 1.0 [redacted]
Supplements	[redacted] FBS 10%
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] T25 [redacted]
Seeding density	2 x 10^4 [redacted] ^{2}/cm [redacted] 2 [redacted]
Fluid renewal	[redacted] 3 [redacted] 5 [redacted]
Post-Thaw Recovery	[redacted] ^{4} [redacted] 24 [redacted]
Freeze medium	[redacted] (FBS) + 10% DMSO

CLS-138 | 400177

Thawing and Culturing Cells	1. 2. cryovial -150 3. 37°C 4. 70% 5. 15 6. 300 x g 3 7. 10 8.
Incubation Atmosphere	37°C, 5% $_{CO2}$,
Flask Coating	
Freezing Procedure	
Shipping Conditions	
Storage Conditions	−150 −196 °C

Sterility	PCR