P19 | 400416

Description	□□□□□□□□□□□ P19 □□□□□□□□□□□

P19 | 400416

Karyotype	N = 40, xY

Culture Medium	DMEM:Ham's F12 (1:1), w: 3.1 [redacted]/[redacted] [redacted], w: 2.5 [redacted] L-[redacted], w: 15 [redacted] HEPES, w: 0.5 [redacted]
Supplements	[redacted] FBS 10%
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] (3-5 [redacted] [redacted]
Split ratio	[redacted] 1:10 [redacted]
Seeding density	[redacted] [redacted] 48 [redacted]
Fluid renewal	[redacted] 2 [redacted]
Freeze medium	[redacted] [redacted] ([redacted] FBS) + 10% DMSO

Thawing and Culturing Cells	1. [illegible] 2. [illegible] cryovial [illegible] -150 [illegible] [illegible] 3. [illegible] 37°C [illegible] 4. [illegible] 70% 5. [illegible] 15 [illegible] 6. [illegible] 300 x g [illegible] 3 [illegible] [illegible] 7. [illegible] 10 [illegible] [illegible] 8. [illegible]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible]
Flask Coating	[illegible]
Freezing Procedure	[illegible]
Shipping Conditions	[illegible]
Storage Conditions	[illegible] −150 [illegible] −196 °C [illegible]
Sterility	[illegible] PCR [illegible] [illegible]
STR	**Amelogenin**: [illegible], [illegible]