





**NCI-H358 | 300430**

**Thawing and Culturing Cells**

1. **Thawing** **NCI-H358** cryovial **NCI-H358** -150 **NCI-H358** **NCI-H358**
2. **NCI-H358** cryovial **NCI-H358** -150 **NCI-H358** **NCI-H358**
3. **NCI-H358** **NCI-H358** 37°C **NCI-H358**
4. **NCI-H358** **NCI-H358** 70%
5. **NCI-H358** **NCI-H358** 15 **NCI-H358**
6. **NCI-H358** 300 x g **NCI-H358** 3 **NCI-H358** **NCI-H358**
7. **NCI-H358** **NCI-H358** 10 **NCI-H358** **NCI-H358**
8. **NCI-H358**

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>, **NCI-H358**

**Flask Coating** **NCI-H358**

**Freezing Procedure** **NCI-H358**

**Shipping Conditions** **NCI-H358**

**Storage Conditions** **NCI-H358** -150 **NCI-H358** -196 °C **NCI-H358**

**NCI-H358** / **NCI-H358** / HLA

**Sterility** **NCI-H358** PCR **NCI-H358**

**NCI-H358** **NCI-H358** **NCI-H358**