

Product sheet

NCI-H157 | 300387

XXXXXXXXXXXXXXXXXXXX

Description NCI-H157 (NSCLC) HIF-1α siRNA (DDP) NCI-H157

Organism XXXXX

Tissue XX

Disease XXXXXXXXXXXXXXXXXXXXXXX

Synonyms XXX157, XXX157, XXX-157, XXXXX-157

XXXXXXXXXX

Age 59 XX

Gender XXX

Growth properties XXXXXX

XXXXXXXXXXXXXXXXXXXX

Citation NCI-H157 (Cytion 300387)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_0463

XXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXX

NCI-H157 | 300387

Culture Medium RPMI 1640, w: 2.0 mM β -mercaptoethanol, w: 2.0 mM/1000 NaHCO₃ (Cytion 820700a)

Supplements FBS 10%

Dissociation Reagent

Subculturing PBS T25

Freeze medium (FBS) + 10% DMSO

Thawing and Culturing Cells

1. Thaw cells in a 37°C water bath.
2. Add 100 µl cryovial to 10 ml medium.
3. Incubate at 37°C for 15 min.
4. Add 100 µl medium to each well.
5. Incubate at 37°C for 24 h.
6. Add 300 x g 3 µl medium.
7. Incubate at 37°C for 10 min.
8. Incubate at 37°C for 24 h.

Incubation Atmosphere 37°C, 5% CO₂, humidified

Flask Coating

Freezing Procedure

Shipping Conditions

