

Product sheet

MH-TC-5123 | 500287

Culture Medium RPMI 1640, w: 2.0 mM β -mercaptoethanol, w: 2.0 mM/1000 NaHCO₃ (Cytion 820700a)

Supplements FBS 10%

Dissociation Reagent

Subculturing PBS T25

Seeding density 1×10^4 cells/cm²

Fluid renewal 3 5

Freeze medium (FBS) + 10% DMSO

Thawing and Culturing Cells

1. Thaw cells in a 37°C water bath.
2. Transfer cells to a cryovial and store at -150°C.
3. Incubate cells at 37°C.
4. Seed cells at 70% confluency.
5. Seed cells at 15 cells/cm².
6. Seed cells at 300 x g 3 cells/cm².
7. Seed cells at 10 cells/cm².
8. Seed cells at 10 cells/cm².

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating

Product sheet

MH-TC-5123 [REDACTED] | 500287

Freezing Procedure [REDACTED]

Shipping Conditions [REDACTED]

Storage Conditions [REDACTED] -150 [REDACTED] -196 °C [REDACTED]

[REDACTED] / [REDACTED] / HLA

Sterility [REDACTED] PCR [REDACTED]
[REDACTED] [REDACTED] [REDACTED]