

LCLC-103H [REDACTED] | 300169

[REDACTED]

Description [REDACTED] LCLC-103H [REDACTED] (LCLC) [REDACTED]
LCLC-103H [REDACTED] PAS (Periodic Acid-Schiff) negative [REDACTED]
103H [REDACTED]

Organism [REDACTED]

Tissue [REDACTED]

Disease [REDACTED]

Metastatic site [REDACTED]

Synonyms LCLC103H, [REDACTED]-103H

[REDACTED]

Age 61 [REDACTED]

Gender [REDACTED]

Ethnicity [REDACTED]

Morphology [REDACTED]

Growth properties [REDACTED]

[REDACTED]

Citation LCLC-103H ([REDACTED] Cytion 300169)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1375

Product sheet

LCLC-103H  | 300169



Ploidy status 



Culture Medium RPMI 1640, w: 2.0 mM , w: 2.0 /  NaHCO₃ ( Cytion 820700a)

Supplements  FBS 10%

Dissociation Reagent 

Doubling time 26 

Subculturing  PBS  T25 

Seeding density 0.5  1×10^4 

Fluid renewal 2  3 

Post-Thaw Recovery  24 

Freeze medium  ( FBS) + 10% DMSO

LCLC-103H | 300169

Thawing and Culturing Cells

- 1.
2. cryovial -150
3. 37°C
4. 70%
5. 15
6. 300 x g 3
7. 10
- 8.

Incubation Atmosphere 37°C, 5%_{CO2}

Flask Coating

Freezing Procedure

Shipping Conditions

Storage Conditions -150 -196 °C

/ / HLA

Sterility PCR