Product sheet

NCI-H1299 | 300485

Description

Description	NCI-H1299 H1299 H1299 p53 KRAS H1299 5 H1299 (NMB) 0.1
Organism	
Tissue	
Disease	
Synonyms	H1299, H-1299, NCIH1299

Age

Age	59
Ethnicity	
Growth properties	

Publication

Citation	NCI-H1299 (Cytion 300485)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_0060

Publication

[redacted] NCI-H1299 | 300485

[redacted]

Culture Medium	RPMI 1640, w: 2.0 mM [redacted], w: 2.0 [redacted]/[redacted] NaHCO3 ([redacted] Cytion 820700a)
Supplements	[redacted] FBS 10% [redacted] 2.5 [redacted]/[redacted] [redacted] HEPES 10 [redacted]
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] [redacted] T25 [redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Freeze medium	[redacted] [redacted] (FBS) + 10% DMSO
Thawing and Culturing Cells	1. [redacted] 2. [redacted] cryovial [redacted] -150 [redacted] [redacted] 3. [redacted] [redacted] 37°C [redacted] 4. [redacted] [redacted] 70% 5. [redacted] [redacted] 15 [redacted] 6. [redacted] 300 x g [redacted] 3 [redacted] [redacted] [redacted] 7. [redacted] [redacted] 10 [redacted] [redacted] [redacted] 8. [redacted]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]

NCI-H1299 | 300485

Freezing Procedure	
Shipping Conditions	
Storage Conditions	−150 −196 °C

/ / HLA

Sterility	PCR